



Grey Star Stainless Steel Compound

Section 1	CHEMICAL PR		DENTIFICATION	
Product Name: Recommended use:	Grey Star Stainless St Polishing	eel Compound		
	Romanoff Internation Supply (CHEMT CHEMT	EL ACCOUNT: #MIS4594445	
	9 Deforest St Amityville,NY11701 USA PHONE: 1-800-221-7448	USA, US VIR AUSTRALIA: 1 CHINA: 400	CANADA, PUERTO RICO & GIN ISLANDS: 1-800-255-3924 -300-954-583 BRAZIL: 0-800-591-6 -120-0751 INDIA: 000-800-100-4086 MEXICO: 800-099-0731	
	EMAIL: websales@romanoff.		ER COUNTRIES: 1-813-248-0585	
Section 2	HAZARDS IDE	NTIFICATION		
Hazard Classification	n: Irritant	Hazard	Pictogram:	
WARNING: Dust p	produced in use may temp	oorarily		
-	e eyes, skin, and respirat	-		
Hazard Classifications:				
NFPA HAZARD RATIN	G: Fire: (1, minimal)) Health: (2, slight)	Reactivity: (1, minimal)	
GHS HAZARDS:	Fire: (5, minimal)) Health: (4, slight)	Reactivity: (5, minimal)	
National Fire Protection	Association (NFPA) Ratings:	ion (NFPA) Ratings: This information is intended solely for the use of individuals trained in the N FPA system.		
Hazard phrases 4216	H320 H335 Dust produce	d during use may cause m	ild irritation of skin, eyes, and	
	-			
respir	atory tract.			
	atory tract. P102: Keep out	of reach of children.		
respir	atory tract. P102: Keep out P261: Avoid bre	of reach of children. eathing dust, may cause re	spiratory tract irritation	
respir	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho	of reach of children. eathing dust, may cause re proughly after handling. Avo	espiratory tract irritation bid skin irritation by wearing	
respir	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho	of reach of children. eathing dust, may cause re	espiratory tract irritation bid skin irritation by wearing	
respir Precautionary Phrases:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove	of reach of children. eathing dust, may cause re proughly after handling. Avo	espiratory tract irritation Did skin irritation by wearing tection and dust mask.	
respir Precautionary Phrases:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove	of reach of children. eathing dust, may cause re proughly after handling. Avo es. If needed wear eye pro cause temporary irritation to	espiratory tract irritation Did skin irritation by wearing tection and dust mask.	
respir Precautionary Phrases: Emergency Overview:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION	of reach of children. eathing dust, may cause re proughly after handling. Avo es. If needed wear eye pro cause temporary irritation to should be minimized.	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number	of reach of children. eathing dust, may cause re proughly after handling. Ave es. If needed wear eye pro cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number	espiratory tract irritation bid skin irritation by wearing tection and dust mask. to skin, eyes, nose, and REDIENTS % Range	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1	of reach of children. eathing dust, may cause re- proughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number	of reach of children. eathing dust, may cause re proughly after handling. Ave es. If needed wear eye pro cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number	espiratory tract irritation bid skin irritation by wearing tection and dust mask. to skin, eyes, nose, and REDIENTS % Range	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA	of reach of children. eathing dust, may cause re- proughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam	of reach of children. eathing dust, may cause re- proughly after handling. Ave- es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES inated clothing.	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90 10-20	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam	of reach of children. eathing dust, may cause re- proughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES inated clothing. t is inhaled, remove to fresh	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General: Inhalation:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam If excessive dus breathing difficul	of reach of children. eathing dust, may cause re- proughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES inated clothing. t is inhaled, remove to fresh tites persist.	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90 10-20	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General: Inhalation:	atory tract. P102: Keep out P261: Avoid bre P264: Wash the protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam If excessive dus breathing difficul Check for and r water, cold wate	of reach of children. eathing dust, may cause re- broughly after handling. Ave- es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES innated clothing. t is inhaled, remove to fresh ties persist. remove any contact lenses.	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90 10-20 air. Seek medical attention if	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General: Inhalation: Eye Contact:	atory tract. P102: Keep out P261: Avoid bre P264: Wash the protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam If excessive dus breathing difficul Check for and r water, cold wate occur.	of reach of children. Beathing dust, may cause re- broughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES hinated clothing. t is inhaled, remove to fresh- ties persist. remove any contact lenses. or may be used. Seek med	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90 10-20 air. Seek medical attention if Flush eyes with large amounts of ical attention if vision difficulties	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General: Inhalation: Eye Contact:	atory tract. P102: Keep out P261: Avoid bre P264: Wash the protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam If excessive dus breathing difficul Check for and r water, cold wate occur. Wash contamina	of reach of children. Beathing dust, may cause re- broughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES binated clothing. t is inhaled, remove to fresh ties persist. remove any contact lenses. or may be used. Seek med ated skin with soapy water.	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90 10-20 air. Seek medical attention if Flush eyes with large amounts of ical attention if vision difficulties Remove contaminated clothing	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General: Inhalation: Eye Contact: Skin Contact:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam If excessive dus breathing difficul Check for and r water, cold wate occur. Wash contamina and shoes. Was	of reach of children. eathing dust, may cause re- proughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES inated clothing. t is inhaled, remove to fresh ties persist. remove any contact lenses. er may be used. Seek med ated skin with soapy water.	espiratory tract irritation bid skin irritation by wearing tection and dust mask. to skin, eyes, nose, and REDIENTS % Range 80-90 10-20 air. Seek medical attention if Flush eyes with large amounts of ical attention if vision difficulties Remove contaminated clothing e reuse.	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General: Inhalation: Eye Contact: Skin Contact:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam If excessive dus breathing difficul Check for and r water, cold wate occur. Wash contamina and shoes. Wass	of reach of children. Beathing dust, may cause re- broughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. If INFORMATION ON ING EC Number 215-691-6 Proprietary SURES inated clothing. It is inhaled, remove to fresh tites persist. Bemove any contact lenses. For may be used. Seek med ated skin with soapy water. Sh clothing and shoes before se mouth and drink plenty of	espiratory tract irritation old skin irritation by wearing tection and dust mask. o skin, eyes, nose, and REDIENTS % Range 80-90 10-20 air. Seek medical attention if Flush eyes with large amounts of ical attention if vision difficulties Remove contaminated clothing e reuse. f water. DO NOT INDUCE	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General: Inhalation: Eye Contact: Skin Contact:	atory tract. P102: Keep out P261: Avoid bre P264: Wash tho protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam If excessive dus breathing difficul Check for and r water, cold wate occur. Wash contamina and shoes. Wass Immediately rins VOMITING unle	of reach of children. eathing dust, may cause re- broughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES mated clothing. t is inhaled, remove to fresh ties persist. remove any contact lenses. or may be used. Seek med ated skin with soapy water. sh clothing and shoes before se mouth and drink plenty of ss directed to do so by medi	Aspiratory tract irritation bid skin irritation by wearing tection and dust mask. bo skin, eyes, nose, and REDIENTS % Range 80-90 10-20 air. Seek medical attention if Flush eyes with large amounts of ical attention if vision difficulties Remove contaminated clothing the reuse. f water. DO NOT INDUCE ical personnel. Never give	
respir Precautionary Phrases: Emergency Overview: CHEMICAL NAME Aluminum oxide, non-f Tallow derivatives Section 4 General: Inhalation: Eye Contact:	atory tract. P102: Keep out P261: Avoid bre P264: Wash the protective glove Dust generated in use may respiratory tract. Exposure COMPOSITION CAS Number ibrous 1344-28-1 Proprietary FIRST AID MEA Remove contam If excessive dus breathing difficul Check for and r water, cold water occur. Wash contamina and shoes. Was Immediately rins VOMITING unle anything by mou	of reach of children. eathing dust, may cause re- broughly after handling. Ave es. If needed wear eye pro- cause temporary irritation to should be minimized. // INFORMATION ON ING EC Number 215-691-6 Proprietary SURES mated clothing. t is inhaled, remove to fresh ties persist. remove any contact lenses. or may be used. Seek med ated skin with soapy water. sh clothing and shoes before se mouth and drink plenty of ss directed to do so by medi	espiratory tract irritation bid skin irritation by wearing tection and dust mask. b skin, eyes, nose, and REDIENTS % Range 80-90 10-20 air. Seek medical attention if Flush eyes with large amounts of ical attention if vision difficulties Remove contaminated clothing e reuse. f water. DO NOT INDUCE cal personnel. Never give on. Ingestion of small quantities	



SAFETY DATA SHEET SKU: 93-004-WS

FIRE FIGHTING MEASURES

Explosion hazard: None.

Section 5

 Suitable extinguishing media:
 Dry chemical, alcohol foam, carbon dioxide, gentle water
 flow.

 Fire hazard:
 Contains combustible wax or grease which may liquefy and flow when heated.
 flow.

Firefighters should use self-contained breathing apparatus.

Section 6	ACCIDENTAL RELEASE MEASURES

Emergency Action: If material cannot be recovered, transfer to waste container and dispose in local landfill, in compliance with local, state and federal regulations.

Section 7	HANDLING AND STORAGE

Handling: Wear protective gloves if skin irritation is experienced. Wash hands before eating. Avoid breathing dust produced in use.

Storage: Store at room temperature away from excessive heat.

Section 8	EXPOSURE CONTROLS / PERSONAL PROTECTION			
	CAS Number EC Number OSHA PEL ACGIH TLV			
Aluminum oxide, non-fibrous	1344-28-1	215-691-6	15 mg/m 3 TWA	10 mg/m 3 TWA

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep dust levels below

occupational exposure limits. See section 2 for component exposure guidelines. Local

exhaust ventilation is acceptable.

Respirator: Use a NIOSH-certified dust mask or equivalent.

Hand Protection: Wear gloves.

Eye Protection: Protective eye-wear should be used in dusty environment.

Other Recommendations: Wear protective clothing such as long sleeves. Wash hands after handling.

PHYSICAL AND CHEMICAL PROPERTIES

Density	Approximately 2.0 g/cm3	рН	NA
Physical State	Solid bar	Boiling Point	NA
Appearance	Grey	Freeze Point	NA
Odor	Mild or none	Vapor Density (Air=I}	NA
Solubility in water	Partially soluble		

Section 10 STABILITY AND REACTIVITY

General: Stable.

Section 11

Section 9

Incompatible Materials and Conditions to Avoid: Strong oxidizing agents. Hazardous Polymerization: Will not occur.

TOXICOLOGY INFORMATION

No information available on Acute or Chronic ingestion or inhalation toxicity. No ingredients present above 0.1% which are carcinogenic according to

NTP, IARC, or OSHA findings.

Section 12 ECC

ECOLOGICAL INFORMATION

All ingredients are inert in the environment, or biodegrade to non-hazardous compounds.

Section 13

DISPOSAL CONSIDERATIONS

RCRA 40 CFR 261 Classifications: Not classified as hazardous. Federal, State, and Local laws governing disposal of material can differ. Ensure proper disposal compliance with proper authorities before disposal.

SAFETY DATA SHEET

SKU: 93-004-WS



Sectio	on 14	TRANSPORTATION IN	NFORMATION	
J.S. DC	DT: Not regulated			
	Basic Descri	otion: NON-HAZARDOUSMATERIAL		
	This product	does not constitute a hazardous subs	stance in national/internation	nal road, rail, sea
	and air transp	port.		
ATA:	This product doe	s not constitute a hazardous substance	e in national/international ai	r transport.
Sectio	on 15	REGULATORY INFOR	RMATION	
USFede	eral Regulations: S	DScomplies with the OSHA Hazard Co	ommunication Rule, 29 CFI	R 1910.1200.
•	CERCLA/Superfu	Ind, 40 CFR 117, 302: None of the	chemicals are CERCLA ha	zards
 SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311, 312 and 313: Section 302 - None of the chemicals are extremely hazardous substances (40 CFR 355). 			nd 313:	
			FR 355).	
•	Section 311/312	- Material Safety Data Sheet Requir	ements (40 CFR 370):	By our hazard evaluation,
	this product may	be an eye and skin irritant.		
 Section 313 - List of Toxic Chemicals (40CFC 372): This product contains no chemicals (a or greater) that are found on the 313 list of Toxic Chemicals. 			o chemicals (at level of 1%	
			cals.	
•	Toxic Substance	Control Act (TSCA): All substances are	TSCA listed.	
•	Resource Conse	rvation and Recovery Act (RCRA 40 0	CFR 261) Subpart C & D:	
	Refer to Section	13.		
STATE I	REGULATIONS:			
•	No substances ir	this mixture are specifically listed by ir	ndividual state. Other produ	ct specific health
	and safety data i	n other sections of the SDSmay also be	e applicable for state require	ements. For
	details on your re	egulatory requirements you should con	tact the appropriate agency	/ in your state.
•	California Propos	ition 65: None of the ingredients a	re on the Proposition 65 lis	st
Canada WHMIS: Not Controlled. All components of this product are included in the Canadian DSL			e Canadian DSL	
	(Domestic Substa			
Sectio	ons 16	OTHER INFORMATIO	N	
	-		er to section 14	
REVISIO	ON DATES	SECTIONS	REVISED E	SY
6/15/201	6	Original release date	kb	
ABBREVI	ATIONSUSED IN TH	SDOCUMENT: NE- Not Established, NA-	Not Applicable, NIF- No Info	rmation Found

ABRIDGEDLIST OF REFERENCES:

Code of Federal Regulations (CFR)

Chemical Guide and OSHA Hazardous Communication Standard

US Department of Labor; Occupational Safety & Health Administration (www.osha.gov)

The Environmental Protection Agency (www.epa.gov)

The Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

Government of Canada: http://canadagazette.gc.ca/news-e.html

To the best of our knowledge, the information contained herein is accurate. However, neither MATCHLESS METAL POLISH nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.